



THE AWARD-WINNING FORMULA

Bauknecht epitomises true german heritage by adopting the famed bauhaus philosophy of "less is more".

For over 90 years, this belief has formed the blueprint of all Bauknecht's designs in crafting every piece of innovation, through meticulous attention to detail and a passion for perfection. It is no wonder that Bauknecht has garnered over 130 international awards in the last 8 years, including:

- Best of the best, kitchen innovation award 2012-2015
- Consumer's favourite brand, platinum, kitchen innovation award 2014
- Most innovative brand, plus x award 2009-2011, 2013
- Best designed brand, plus x award 2013
- Best product of the year kosmos collection, plus x award 2010-2012



BREATHTAKING DESIGN

Germany is renowned for products of quality, but at Bauknecht, what makes our latest appliances special is the fact that they are inspired by the essential. Bauknecht represents a new generation in product design allowing all kitchen and interior design styles to be combined.

KOSMOS COLLECTION

A graceful fusion of modern elegance and practical function, is equipped with a distinctive mirrored surface and integrated handles that complement the contemporary streamlined, handle-free kitchen cabinets. The touch-sensitive ProCook LCD display of KOSMOS appliances, combined with top notch innovations, facilitate intuitive controls to give users an enjoyable kitchen experience of the 21st century. It's no wonder that the KOSMOS oven was also awarded the seal of quality when it won the Kitchen Innovation of the year, gold award 'Best of the Best', and the iF product design award.

KOMFORT COLLECTION

The award-winning collection features elegant lines and streamlined handles that will remain attractive for many years to come. After all, durability, in terms of both function and design, is an important element for product design at Bauknecht. It is therefore not surprising that the oven, microwave and steamer in the KOMFORT collection have been recognised for their outstanding, timeless design with the iF Product Design Award.





CUTTING EDGE TECHNOLOGY

At Bauknecht, quality is shaped by innovation that sets out to find solutions for everyday life. Technology driven performance completes Bauknecht's story of excellence, a story rightfully honoured by prestigious industry recognition.

POWERDRY TECHNOLOGY

The innovative PowerClean+ high-pressure water jet system powerfully removes even the most stubborn of soiling from dishes – making pre-rinsing unnecessary. Thanks to Bauknecht's PowerDry technology. The unique ventilation system draws humidity from the interior of the appliance using dual air circulation and condenses it. This allows all dishes to be cleaned and extraordinarily well dried in just one hour – making Bauknecht PowerDry dishwashers faster than all the others on the market. This was reason enough for the jury of the Kitchen Innovation of the Year 2014 Award to confer the "Consumer's Favourite Brand - Platinum" prize.





TABLE OF CONTENTS





OVENS

WE CARE ABOUT YOUR OVEN AND ALSO THE ENVIRONMENT

Bauknecht's continual technological innovations are not to make things complicated, but to streamline processes. Its first-in-market "no preheating technology" enables flawless cooking on three layers, without the mix of tastes and aromas, saving your time.



Furthermore, the patented PureClean technology makes cleaning so easy and environmentally-friendly, it's no wonder the KOSMOS oven with PureClean won the 2012 iF product design award.

Unrivalled performance for improved time and energy efficiency






NO NEED TO PRE-HEAT

PREHEAT-FREE TECHNOLOGY: TIME AND ENERGY SAVING

Thanks to the Intelligent Heating concept featuring optimised air circulation, the patented heat algorithm gives the perfect heat distribution in each point of the oven cavity, even during multi-level cooking. At the same time, Bauknecht's powerful convection system heats up food evenly and quickly, saving you the trouble of preheating your oven. This way, food preparation time is reduced by up to 26% and energy consumption by as much as 20%.



- The food is placed into a cold cavity and the temperature gradually increases so that the food doesn't brown too quickly, and prevents the food burning by the end of the cooking cycle.
- The 30 Sensor recipes are by default set with no preheating function.



multi level **COOKING**

PERFECT MULTI-LEVEL COOKING WITH NO MIXING OF ODOURS

With up to 30% more cooking space, you can prepare a complete meal simultaneously, and not worry about odours, tastes and aromas mixing. Pamper your palates with sumptuously delicious foods as you indulge in green and sustainable cookery.

Functions to enhance your cooking experience

SOFT CLOSE



SOFT CLOSING DOOR

Soft closing of the door allows for a more ergonomic feel and an enhanced quality perception. The new dumper device and hinges create a "cushion" effect at just a slight push. This is not only quieter, but also protects the furniture and lengthens the lifespan of the oven.



MEAT PROBE



MEAT PROBE SENSOR FOR PERFECT ROASTING

The meat probe of your Bauknecht oven can be programmed to detect temperatures between 30°C and 100°C. Simply insert the sensor into the thickest part of the meat, select the target core temperature and relax. You will be notified with an audio signal when perfect roasting has been achieved, and your oven will switch off automatically.

AUTO SENSOR



30 AUTOMATIC RECIPES FOR **BEST COOKING RESULTS**

30 automatic recipes gathered from ideal cooking parameters let you cook like a Master Chef. While cooking with one of the 30 automatic recipes available, an energy sensor measures different energy parameters, and adapts the cooking time accordingly to provide the best results.

(i) SLOW COOK



TENDERNESS AND SUCCULENCE GUARANTEED

With slow cooking, meat and fish are cooked at the lowest temperatures: 90°C for 4-7 hours for meat and 85°C for 2-5 hours for fish, depending on the size of the joint or cut. This not only ensures that food remains tender and succulent, but also preserves nutrients and flavours.

73 CAVITY



EXTRA LARGE CAVITY FOR BETTER RESULTS

The new ovens retain the sleek, technological and beautiful appearance characteristic of Bauknecht appliances, but have a cavity that is expanded to 73L - compared to the conventional 52-55L. Multilevel cooking is even better supported to deliver exceptional cooking results.

SLIDING RUNNERS



COOKING MADE EFFORTLESS AND SAFE

A sliding runner design makes the insertion and removal of accessories a smooth and effortless process. This way, cooking with the oven becomes easier and safer than ever before.

We not only care about your oven, but also of you



18

pure clean™

THE WORLD'S ONLY EFFECTIVE OVEN CLEANING METHOD THAT DOES NOT HARM THE WORLD

Bauknecht's patented PureClean Technology utilises a sustainable, enamel-coating with dirt repellent properties, with unique Nano technology applied to the oven door. Even the baking trays feature a special coating for easier cleaning. With an innovative cleaning cycle lasting 35 minutes that heats up to 90°C, as well as a special absorbent cloth dampened with water, the oven can be wiped clean effortlessly without the use of chemicals. It also guarantees cleaning results that are 10 times better than when using detergents, even with tough soils like tomato and grease. What's more, PureClean achieves considerable energy savings of 97%*, whereas the scratch resistance coating has a life span of 10 years.




Scan to understand more about PureClean Technology.

* Compared with pyrolytic cleaning



Inner door glass with special Nano-treatment and dirt-repellent properties.

 Special low silica enamelled cavity with easy to clean properties
 Water-activated enamel, no need to use aggressive and polluting detergents.



Wait 35 minutes:

20 mins at 90°C

15 mins of cooling down

Set PureClean

Cycle and start it

Ovens that care



PYROLYTIC



BURN ALL GREASE AT 500°C FOR IMMEDIATE REMOVAL

Pyrolytic function heats up the cavity to over 500°C, burning grease and dirt. All you have to do is wipe out the ashes after the cavity cools down.

Pyrolytic Self-Clean, which can run straight after baking, offers two settings for different degrees of dirtiness. If the oven is only mildly dirty, it can be cleaned again in only 75 minutes. This is all fully automatic and safe – and no chemicals are used.





AWARD-WINNING STAINLESS STEEL FOR EASY CLEANING

The award-winning ProTouch stainless steel surface has been specially treated to make cleaning an effortless task. Ugly finger marks become a thing of the past, and the exterior remains spotless longer after cleaning. Inside the oven, the full glass inner door, enamelled coating and tiltable grill facilitate for easier and more convenient cleaning.





NO HARM TO HANDS WITH CONSTANTLY COOL DOOR

The either three- or four-layer glass door, equipped with a radial cooling fan, reduces heat radiation to contain additional heat inside the oven. Even during Pyrolytic Self-Clean, when the cavity heats up to 500°C, temperature of the cool door never exceeds 50°C. This not only keeps inquisitive children out of harm's way, but also protects nearby appliances.

A-40% ENERGY CLASS



ENERGY SAVERS WITH DISTINCTION

With low energy consumption, Bauknecht ovens carry up to A-40% energy efficiency label. This means they are 40% more environmentally-friendly than Class A ovens.

Ideal all-in-one appliance for modern kitchens



BEST OF BOTH WORLDS: OVEN AND MICROWAVE IN ONE

Bauknecht's built-in compact ovens at a recess height of 45cm are extremely quick thanks to the combination of conventional oven functionality with microwave technology. Precisely for small kitchens, this offers an attractive alternative.

The ovens feature an enamelled interior, top and bottom heat as well as grill and fan functions – and are comfortable to control via the display. The integrated microwave function can be activated with traditional cooking methods as a helpful support, vastly shortening the cooking time. At the same time, consumers can enjoy crisp dishes – just like with a conventional oven.



What's more, the microwave function can be used on its own to defrost food or heat up meals. The design of these compact built-in ovens blends in seamlessly with the other 45cm built-in appliances from Bauknecht within the KOMFORT and KOSMOS lines.

BCTMS9101PT

KOSMOS Oven with Pure Clean and Soft Closing



Pure Clean Auto SENSOR A-40% COOL FRONT A-40%

Design

- KOSMOS line
- Pull-down opening
- Integrated handle

Control

- LCD touch control
- ProCook user interface

Cooking Features

- 13 Functions: Conventional, Grill. Turbo Grill. Forced Air. Convection Bake, Defrost, Keep Warm, Slow Cooking, Rising, Convenience, Maxi Cooking, Frozen Food. Eco-Forced Air
- Preset recipes: 30
- Meat Probe recipes: 7

Unit: mm Above diagram is not to scale

Caring Features

- Soft closing
- Fast preheating

- Favourite function

- Cool door (triple door glazing)
- Residual heat indicator
- 3 fully extended sliding grids
- Child lock

Green Features - PureClean

- Europe energy class A-40%
- No need to Pre-Heat
- Multi Level cooking
- Pro-touch surface coating
- Eco mode

Specifications

- Capacity: 73L
- Number of shelf levels: 5
- Temperature setting: 50°C 250°C
- Connected load: 3650W
- Spur unit: 20A
- Length of power cord: 1280mm

Accessories supplied

- Meat probe: 1

The Bauknecht Oven Range

- Standard wire shelf: 1
- Drip tray: 1 - Baking tray: 1
- Sliding runners: 3 pairs
- Cellulose cloth: 1

Appliance Dimensions

- 595H x 595W x 565Dmm

Cut out Dimensions

- 583H x 560W x 550Dmm

Country of Origin

- Italy

550 578 min. 5mm clearance must not be obstructed 20A—---200cm² fresh air inlet

BCVM8100/PT

KOMFORT Oven with Pure Clean



Pure SENSOR A-20% CIASS COL FRONT CIASS

HK\$ 27,800

Design

- KOMFORT line
- Pull-down opening
- Protruding handle

Control

- Retractable knob control
- ProCook user interface

Cooking Features

- 12 Functions: Conventional. Grill, Turbo Grill, Forced Air, Convection Bake, Defrost, Keep Warm, Slow Cooking. Rising, Convenience, Maxi Cooking, Frozen Food
- Preset recipes: 30

Caring Features

- Favourite function
- Fast preheating
- Cool door (triple door glazing) - Residual heat indicator
- 3 fully extended sliding grids
- Child lock

Green Features

- Pure clean
- Europe energy class A-20%
- No need to preheat
- Multi-Level cooking
- ProTouch surface coating
- Eco mode

Specifications - Capacity: 73L

- Number of shelf levels: 5
- Temperature setting: 50°C 250°C
- Connected load: 3650W
- Spur unit: 20A
- Length of power cord: 1000mm

Accessories Supplied - Standard wire shelf: 1

- Drip tray: 1
- Baking tray: 1
- Cellulose cloth: 1
- Cleaning sponge: 1

Appliance Dimensions


Cut out Dimensions

The Bauknecht Oven Range

- 583H x 560W x 550Dmm

- 595H x 595W x 565Dmm

Country Of Origin



HK\$ 36,800 24

BLPM8100/PT

KOMFORT Oven with Pyrolytic Self-Clean System



AUTO SENSOR A-20% COLAROUT TO XL

Design

- KOMFORT line

- Pull-down opening
- Protruding handle

Control

- Retractable knob control
- ProCook user interface

Cooking Features

- 12 Functions: Conventional, Grill. Turbo Grill. Forced Air. Convection Bake, Defrost, Keep Warm, Slow Cooking, Rising, Convenience,
- Maxi Cooking, Frozen Food - Preset recipes: 30

Caring Features

- Favourite function - Fast preheating
- Cool door (quadruple door glazing)
- Child lock

550 578

Green Features

- Europe energy class A-20%
- No need to Pre-Heat
- Multi Level cooking
- ProTouch surface coating - Pyrolytic Self-Clean
- Eco mode

Specifications

- Capacity: 73L
- Number of shelf levels: 5
- Temperature settings: 50°C 250°C
- Connected load: 3650W
- Spur unit: 20A
- Length of power cord: 1000mm

Accessories Supplied

- Standard wire shelf: 1
- Drip tray: 1
- Baking tray: 1
- Sliding runners: 3 sets (complimentary)

Appliance Dimensions

- 595H x 595W x 565Dmm

Cut out Dimensions

- 583H x 560W x 550Dmm

min. 5mm clearance must not be obstructed

20A**→**□

Country of Origin

The Bauknecht Oven Range

BMES8145PT

KOMFORT Speed Oven with 40L Compartment



Design

- KOMFORT line
- Pull-down opening
- Protruding handle

Control

- Retractable knob control
- ProCook user interface

Cooking Features

- Preset recipes
- 15 Functions: Dough Proving, Preheat. Conventional.
- Conventional + Microwave.
- Convection Bake. Convection Bake + Microwave,
- Grill. Grill + Microwave. Turbo Grill, Turbo Grill +

Caring Features

- Short cut
- Selection of doneness
- Delayed start
- Timer
- Child lock

Green Features - Eco mode

Specifications

- Capacity: 40L
- 7 Power levels
- Maximum temperature: 250°C
- Power output:
- > Microwave: 850W
- > Grill: 1600W
- > Bottom heater: 1000W
- Connected load: 2800W
- Fuse spur unit: 16A

Accessories Supplied

The Bauknecht Oven Range

- Glass drip tray
- Wire shelf
- Baking tray

Appliance Dimensions

- 455H x 595W x 560Dmm

Cut Out Dimensions

- 450H x 560W x 550Dmm


Country of Origin

Europe














HK\$ 25,800

200cm² fresh air in**l**et Unit: mm Above diagram is not to scale

HK\$26,800 26

BLVES8100/EW

KOMFORT Oven with White Glass Front and Soft Closing



A-20% CLASS

- 1 pair of fully extendable sliding runners: \$499

Design

- KOMFORT line

- Pull-down opening
- Protruding handle
- Soft closing

Control

- Retractable knob control
- CleverCook user interface

Cooking Features

- 13 Functions: Conventional, Grill, Turbo Grill, Forced Air, Convection Bake, Defrost, Keep Warm, Slow Cooking, Rising, Maxi Cooking, Bread, Pizza. Eco Forced Air

Caring Features

- Favourite function
- Fast preheating
- Cool door (triple door glazing)
- Child lock - Delayed start
- Residual heat indicator

Green Features

- Europe energy class A-20%
- No need to Pre-Heat
- Multi-Level cooking
- Eco mode

Specifications

- Capacity: 73L
- Number of shelf levels: 5
- Temperature setting: 50°C 250°C - Connected load: 3650W
- Spur unit: 20A
- Length of power cord: 1000mm

Accessories Supplied

- Standard wire shelf: 1
- Drip tray: 1
- Baking tray: 1

Appliance Dimensions

The Bauknecht Oven Range

- 595H x 595W x 565Dmm

Cut out Dimensions

- 583H x 560W x 550Dmm

Country Of Origin

BLVES8100/PT

KOMFOFT Multi-function Oven with Soft Closing



Design

- KOMFORT line
- Pull-down opening
- Protruding handle

Control

- Retractable knob control
- CleverCook user interface

Cooking Features

- 12 Functions: Conventional, Grill, Turbo Grill, Forced Air. Convection Bake. Defrost. Keep Warm, Slow Cooking, Rising, Maxi Cooking, Bread, Pizza

Caring Features

- Soft closing
- Favourite function
- Fast preheating
- Cool door (triple door glazing) - Child lock
- Delayed start
- Residual heat indicator

Green Features

- Europe energy class A-20%
- No need to Pre-Heat
- Multi Level cooking

- Eco mode

Specifications

- Capacity: 73L
- Number of shelf levels: 5 - Temperature setting: 50°C - 250°C
- Connected load: 3650W
- Spur unit: 20A
- Length of power cord: 1300mm

Accessories Supplied - Standard wire shelf: 1

- Drip tray: 1
- Baking tray: 1

Appliance Dimensions

- 595H x 595W x 565Dmm

Cut out Dimensions

The Bauknecht Oven Range

- 583H x 560W x 550Dmm

Country of Origin















Optional accessories:

- 1 pair of fully extendable sliding runners: \$499







HK\$ 12,800

Optional accessories:

product design award

28



STEAMER

THE ULTIMATE IN HEALTHY COOKING

Steaming is ideal for the delicate preparation of meat, fish and vegetables.

Meat and fish remain tender and succulent, while vegetables are tasty and crisp, retaining their natural colour and texture with all valuable nutrients preserved. As a testament to its superiority, Bauknecht's steamer was honoured as the best performing steamer by "Stiftung Warentest", an independent foundation for consumer rights in Germany.



Steamer: Best recognisable cooking performance





THE WINNER IN STEAMER PERFORMANCE

Bauknecht's steamer came first in a quality assessment of steamer performance in the latest "Stiftung Warentest" conducted in Germany. This renowned German consumer organisation analyses and compares products and services according to scientific and objective methods at independent institutes, and announces the results in its publications. 96% of Germans are familiar with the "Stiftung Warentest", and one-third make important purchase decisions based on products' test results.

Bauknecht's steamer earned valuable points in the test due to its optimal cooking results on different food types and cooking time. The testers were also impressed by the quick select function and its ease of use.



MEAT PROBE

STEAMING WITH FOOD PROBE FOR PROFESSIONAL RESULTS

Bauknecht's new range of steamers with food probe combines steaming with hot air to bring out the true taste and nutrients of foods. Offering simultaneous fan heating and steaming, the steamers deliver delicately cooked meat that is crispy and golden on the outside and juicy and succulent on the inside.

Equipped with numerous programmes that use the food probe to determine cooking time, the new steamers allow various challenging dishes, such as succulent delicious roast beef, to be easily prepared.



Healthy eating at your fingertips



XXL WATER TANK



LARGE WATER TANK FOR 100 MINUTES OF STEAMING

Thanks to the integrated 1.5L water tank, no separate water inlet is required. The extra large water tank supports continuous steaming of up to 100 minutes. The tank is also easy to clean and operate, helping you save time and effort.



PRESET RECIPES



71 PRESET RECIPES FOR ULTIMATE HEALTHY COOKING

Bauknecht combi steamers offer up to 71 preset recipes which gives your maximize convenience to wealthy cooking experience. Ranging from meat and poultry to vegetables, pasta and dessert, you can virtually find everything to satisfy your appetite.



YOGHURT MAKING



MAKE YOUR OWN YOGHURT

The constant temperature maintained by the steamer allows the yoghurt to set. Making your own yoghurt doesn't get any easier than this.

You can also make your own preserved fruit with syrup and brined vegetables at home.



DOUGH PROVING



PERFECT HOMEMADE BREAD WITH PROVING AT 40°C

At a constant temperature of 40°C, the proving function makes the job much faster without bacterial contamination.



DISINFECTION



DISINFECTION PROGRAMME

Safeguard your baby's health without any hassle: let your Bauknecht steamer sterilise baby bottles or jars.

ECTM9145/1PT

KOSMOS Combi Steamer with Meat Probe



Design

- KOSMOS line
- Pull-down opening
- Integrated handle

Control

- LCD touch control
- ProCook user interface

Cooking Features

- 6 Functions: Steam, Forced Air + Steam. Forced Air, Finishing, Reheat, Steam Defrost
- 4 Special functions: Rising. Preservation, Yoghurt, Disinfection
- Preset recipes: 71
- Meat Probe recipes: 8

Caring Features

- Descaling - Favourite function
- Reminder message

- Minute timer

- Buzzer at the end of cooking
- Child lock
- Delayed start

Green Features

- Europe energy class A - Steam Cleaning
- Multi Level cooking
- ProTouch surface coating - Easy clean interior cavity
- Eco mode

Specifications

- Capacity: 34L
- Temperature setting: 40°C 230°C
- Connected load: 1450W
- Socket / Fuse spur unit: 13A
- Length of power cord: 1300mm

Accessories Supplied

- Meat Probe: 1

The Bauknecht Steamer Range

- Water tank: 1.5L
- Baking & drip tray: 1 - Steam tray: 1
- Wire shelf: 1
- Sponge: 1
- Gastronorm Utensil Holder: 1

Appliance Dimensions - 455H x 595W x 515Dmm

Cut Out Dimensions - 460H x 560W x 550Dmm

Country Of Origin

- Europe

ECTM8145EW

KOMFORT Combi Steamer with White Glass Front



- KOMFORT line

Design

- Pull-down opening
- Protruding handle

Control

- Retractable knob control - ProCook user interface

Cooking Features

- 6 functions: Steam, Forced Air + Steam, Forced Air, Finishing, Reheat, Steam Defrost
- 4 Special functions: Rising, Preservation, Yoghurt,
- Disinfection
- Preset recipes: 71

Caring Features

- Favourite function
- Reminder message
- Minute timer
- Buzzer at the end of cooking
- Child lock
- Delayed Start

Green Features

- Europe energy class A
- Steam Cleaning
- Multi Level cooking
- Easy clean interior cavity - Eco mode

Specifications

- Capacity: 34L - Temperature setting: 40°C - 230°C

- Connected load: 1450W - Socket / Fuse spur unit: 13A
- Length of power cord: 1300mm

Accessories Supplied - Water tank: 1.5L

- Baking & drip tray: 1
- Steam tray: 1
- Standard wire shelf: 1
- Sponge: 1

Appliance Dimensions - 455H x 595W x 515Dmm

The Bauknecht Steamer Range

- (without handle) - 455H x 595W x 563Dmm
- (with handle)

Cut Out Dimensions


- 460H x 560W x 550Dmm


Country of Origin

- Europe











PRESET

555

71

RECIPES

HK\$ 29,800

HK\$ 31,800 36

37

13A **→**∴

ESTM9145PT

KOSMOS Pure Steamer



ENERGY PRO STEAM YOGHURT DOUGH

CLASS TOUCH FUNCTION MAKING PROVIDES

Design

- KOSMOS line

- Pull-down opening
- Integrated handle

Control

- LCD touch control
- ProCook user interface

Cooking Features

- 4 Functions: Steam, Finishing,

- 555

200cm²

--595→

Unit: mm Above diagram is not to scale

- Reheat. Steam Defrost - 4 Special functions: Rising,
- Preservation, Yoghurt, Disinfection
- Preset recipes: 30

Caring Features

- Descaling
- Favourite function
- Minute timer - Buzzer at the end of cooking
- Child lock - Delayed Start

Green Features

- Europe energy class A
- Multi Level cooking
- ProTouch surface
- Easy clean interior cavity - Eco mode

Specifications

- Capacity: 34L
- Temperature setting: 40°C 100°C
- Connected load: 1450W
- Socket / Fuse spur unit: 13A
- Length of power cord: 1300mm

Adjacent Cabinet

For base units:

Accessories Supplied

- Water tank: 1.5L
- Steam tray: 1

- Sponge: 1

Appliance Dimensions

- 460H x 560W x 550Dmm

Country Of Origin

min. 5mm clearance must not be obstructed

465

- Drip tray: 1

For tall units:

The Bauknecht Steamer Range

- 455H x 595W x 515Dmm

Cut Out Dimensions

Filler strip is included as an optional item

Front view

13A—→□

- Europe

ESTM8145PT

KOMFORT Pure Steamer



- Protruding handle

- Retractable knob control

- ProCook user interface

Cooking Features

- KOMFORT line

- Pull-down opening

Design

Control

- 4 Functions: Steam, Finishing, Reheat,
- Steam Defrost
- 4 Special functions: Rising, Preservation, Yoghurt,
- Disinfection
- Preset recipes: 30

Caring Features

- Descaling
- Favourite function

Unit: mm Above diagram is not to scale

Green Features

- Europe energy class A
- Multi Level cooking
- ProTouch surface - Easy clean interior cavity

Specifications

- Capacity: 34L
- Temperature setting: 40°C 100°C
- Connected load: 1450W
- Socket / Fuse spur unit: 13A
- Length of power cord: 1300mm

Accessories Supplied - Water tank: 1.5L

- Steam tray: 1
- Drip tray: 1 - Sponge: 1

- Eco mode

- 460H x 560W x 550Dmm

Cut Out Dimensions

(without handle)

(with handle)

Appliance Dimensions

- 455H x 595W x 515Dmm

- 455H x 595W x 563Dmm

Country of Origin

- Europe

The Bauknecht Steamer Range



For tall units:














HK\$ 22,800

HK\$ 24,800 38

13A → ...



Outstanding cooking results with maximum ease





3D-SYSTEM: CONSISTENT UNIFORMED RESULTS

Bauknecht's patented 3D-System combines dual heat emission with the reflection of microwaves to create even, three-dimensional distribution of microwaves throughout the cavity. The shade of the walls also allows for reflection of microwaves that adds a third dimension in heating depth. Every part of the food receives the same amount of heat during cooking and defrosting, so you can rest assure that results will be perfect, every time. What is more, you can heat two dishes in the microwave oven at the same time without switching them. Convenience, maximised.






THE EXCLUSIVE CRISP FUNCTION FOR OUTSTANDING RESULTS


The Crisp function is the combination of a special Crisp plate, the 3D microwave distribution system and the grill. It ensures the same crispness as with a normal oven, but with a much shorter cooking time. The Crisp plate is heated up extremely quickly by microwaves coming from the lower part of the cavity. The grill heats up the upper part of the dish, while microwaves from the top of the cavity speed up the cooking process. As the Crisp plate does not heat up above 210°C, food is prevented from being overcooked.

Single Emission

In standard microwave ovens where the 3D-system is not present, microwaves are never 100% evenly distributed.



3D Emission System



Microwaves are fed into the cavity from two entry points at a pre-determined time phase, thus creating a 3rd microwave field when bouncing from cavity walls.

Function and aesthetic appeal in one offering

WG R E E N INTELLIGENCE



ADJUST TIME AND POWER AUTOMATICALLY

Thanks to the unique Crisp function and Green Intelligence Technology,
Bauknecht microwave ovens are equipped with auto-reheat, crisp, and steam
functions. You only need to select the food type – the oven does the rest by
adjusting time and power based on the meal and humidity level of the food.

RAPID V DEFROST (8)



PERFECT AND EVEN DEFROSTING IN A SHORT TIME

An exclusive defrosting system guarantees a perfect and even defrosting in a very quick time (2 minutes for 500g of meat vs. 14 minutes in a standard microwave oven), while preserving food quality.

Tailor-made defrost programmes adapt to different food class categories. You only need to key in the food weight, and the exclusive 3D microwave distribution system and special algorithms developed for each category ensure food is always defrosted evenly.

SOFTENING & MELTING



MELT BUTTER AND CHOCOLATE WITHOUT BURNING

With the softening & melting function, you can even process sensitive foods like butter, chocolate and ice cream without burning them and thus retaining the taste of the food.

\\\STEAM



STEAMING FOR HEALTHY MEALS

Your Bauknecht microwave oven is equipped with Sensor Steam and Auto Steam functions that allow for really gentle and healthy cooking, ideal for vegetables, fish and rice because vitamins and minerals remain intact. The steamer pot withstands temperatures between 120°C and -40°C, and is dishwasher safe.

INVERTER TECHNOLOGY



CONSTANT MICROWAVE ENERGY FOR OPTIMISED COOKING RESULT

Your cooking should preserve tastes and nutrients. The innovative Bauknecht Inverter Technology produces constant microwave energy to prepare your food items evenly, carefully and in a controlled way. The inverter circuit situated at the top of the microwave takes up less space and allows for an optimised cooking area.

Combining the best of both worlds



MICROWAVE HOOD COMBINATION: DOUBLE THE POWER

The Bauknecht Microwave Hood Combination is the ideal solution for small kitchens, because it is a powerful extractor hood and a multi-functional microwave oven combined in one. The extractor hood is designed to manage the ambient air as well as extracted air, while the microwave oven delivers outstanding performance consistent with Bauknecht's standard microwave oven. The ProTouch stainless steel surface guarantees lasting cleanliness and an attractive design. Innovative functions such as the 3D System, Rapid Defrost and Crisp produce perfect cooking results within a short amount of time. This ingenious combination of extractor hood and microwave oven is, of course, well deserving of its recognition: it won the Plus X Award for innovation and the Kitchen Innovation Award.







EMCHT9145PT

KOSMOS 40L Microwave Oven



Design

- KOSMOS line

- Pull-down opening
- Integrated handle

Control

- LCD touch control
- ProCook user interface

Cooking Features

- Inverter technology
- 16 Functions: Microwave. Grill, Grill + Microwave, Turbo Grill. Turbo Grill + Microwave. Crisp, Forced Air, Forced Air + Microwave, Quick Heat, Auto Crisp, Auto Reheat, Auto Steam, Rapid Defrost, Melt, Soften, Manual Defrost
- Preset recipes: 72 - 5 Levels of doneness
- 3D System

Caring Features

- Residual heat indicator
- Shortcut function
- Minute timer
- Remind signal sound - 24-hour LED clock
- Child lock

Green Features

- ProTouch surface coating - Eco mode

Specifications

- Capacity: 40L
- 7 Power levels - Maximum temperature
- setting: 250°C - Power output:
- > Microwave: 900W
- > Grill: 1600W
- > Forced air: 1200W

- Connected load: 2800W

The Microwave Oven Range

- Socket / Fuse spur unit: 16A
- Length of power cord: 1250mm

Accessories Supplied

- Turntable with support: 360mm diameter
- Wire rack
- Crisp plate with handle
- Cover plate
- Steamer
- Baking plate

Appliance Dimensions

- 455H x 595W x 555Dmm

Cut Out Dimensions

- 460H x 560W x 550Dmm

Country Of Origin

- Europe

EMCHE8145EW

KOMFORT 40L Microwave Oven with White Glass Front Panel



- **Design** KOMFORT line
- Pull-down opening
- Protruding handle

Control

- Retractable knob control
- ProCook user interface

Cooking Features

- 15 Functions: Microwave, Grill, Grill + Microwave. Turbo Grill + Microwave, Crisp, Forced Air, Forced Air + Microwave. Quick Heat, Auto Crisp, Auto Reheat, Auto Steam Rapid Defrost, Auto Melt, Auto Soft, Manual Defrost
- Preset recipes: 72
- 5 Levels of doneness
- 3D System

Caring Features

- Residual heat indicator
- Shortcut function

- Minute timer

- Key lock
- Remind signal sound
- 24-hour LED clock - Child lock

Green Features - Eco mode

Specifications

- Capacity: 40L
- 7 Power levels
- Maximum temperature setting: 250°C
- Power output:
- > Microwave: 900W
- > Grill: 1600W
- > Forced air: 1200W
- Connected load: 2800W
- Socket / Fuse spur unit: 13A
- Lenght of power cord: 1250mm

Accessories Supplied

- Turntable with support: 360mm diameter

The Microwave Oven Range

- Wire rack
- Crisp plate with handle
- Steamer
- Baking plate

Appliance Dimensions

- 455H x 595W x 565Dmm (without handle)
- 455H x 595W x 593Dmm (with handle)

Cut Out Dimensions

- 460H x 560W x 550Dmm

Country of Origin

- Europe













HK\$ 15,800





HK\$ 17,800 48

EMCCE8138PT

KOMFORT 31L Microwave Oven



Design

- KOMFORT line

- Pull-down opening
- Protruding handle

Control

- Electronic button control
- CleverCook user interface

Cooking Features

- Inverter technology
- 11 Functions: Microwave. Crisp, Auto Crisp, Grill, Grill + Microwave. Manual Defrost. Auto Reheat, Rapid Defrost, Auto Soft, Auto Melt, Auto Cook
- Preset recipes
- 5 level of doneness
- 3D System

Caring Features

- Residual heat indicator
- Minute timer
- Remind signal sound
- 24 hour LED clock - Child lock

Green Features

- ProTouch surface coating
- Eco mode

Specifications

- Capacity: 31L - 8 Power levels
- Power output:
- > Microwave: 1000W > Grill: 800W
- Connected load: 1450W
- Socket / Fuse spur unit: 13A - Length of power cord: 1250mm

Accessories Supplied

The Microwave Oven Range

- 325mm diameter
- Crisp plate with handle

Appliance Dimensions

Cut Out Dimensions

Country Of Origin

- Turntable with support:

- 385H x 595W x 493Dmm

- 380H x 560W x 550Dmm

- Europe

EMCCE8138EW

KOMFORT 31L Microwave Oven with White Glass Front Panel



- Design
 KOMFORT line
- Pull-down opening
- Protruding handle

Control

- Electronic button control
- CleveCook user interface

Cooking Features

- Inverter technology
- 11 Functions: Microwave. Crisp, Auto Crisp, Grill, Grill + Microwave. Manual Defrost.
- Auto Reheat, Rapid Defrost, Auto Soft, Auto Melt, Auto Cook
- Preset recipes
- 5 level of doneness
- 3D System

Caring Features

- Residual heat indicator
- Minute timer
- Remind signal sound
- 24 hour LED clock
- Child lock

Green Features - Eco mode

Specifications

- Capacity: 31L

- 8 Power levels
- Power output:
- > Microwave: 1000W
- > Grill: 800W
- Connected load: 1450W - Socket / Fuse spur unit: 13A
- Length of power cord: 1250mm

- **Accessories Supplied** - Turntable with support:
- 325mm diameter

The Microwave Oven Range

- Crisp plate with handle

Appliance Dimensions

- 385H x 595W x 493Dmm

Cut Out Dimensions


- 380H x 560W x 550Dmm

Country Of Origin

- Europe






















HK\$ 11,800

50

HK\$ 11,800

EMWP9238WS

KOMFORT 22L Microwave Oven with White Glass Front Panel



Green Features

- Eco mode

Design- KOMFORT line

Cooking Features

Manual Defrost

Caring Features

- Remind signal sound

- 24 hour LED clock

- 3D System

- Minute timer

- Child lock

- Electronic button control

- 4 Functions: Microwave.

Rapid Defrost, Rapid Start.

- Side opening

Control

Specifications

- Capacity: 22L
- 4 Power levels
- Power output: > Microwave: 750W
- Connected load: 1300W
- Socket / Fuse spur unit: 13A
- Length of power cord: 1240mm

Accessories Supplied

- Turntable with support:

250mm diameter

Appliance Dimensions - 380H x 595W x 321Dmm

The Microwave Oven Range

Cut Out Dimensions

- 365H x 560W x 300Dmm

Country Of Origin

Europe

EMWP9238PT

KOMFORT 22L Microwave Oven



Design

- KOMFORT line
- Side opening

Control

- Electronic button control

Cooking Features

- 4 Functions: Microwave, Rapid Defrost, Rapid Start, Manual Defrost
- 3D System

Caring Features

- Minute timer
- Remind signal sound
- 24-hour LED clock
- Child lock

Green Features

- Eco mode

Specifications

- Capacity: 22L 4 Power levels
- Power output:
- > Microwave: 750W
- Connected load: 1300W
- Socket / Fuse spur unit: 13A
- Length of power cord: 1240mm

Accessories Supplied

- Turntable with support:

250mm diameter

Appliance Dimensions - 380H x 595W x 321Dmm

The Microwave Oven Range

Cut Out Dimensions

- 365H x 560W x 300Dmm

Country Of Origin


- Europe
























52

HK\$ 12,800

MHC8822PT

KOMFORT Microwave Hood Combination



- **Design** KOMFORT line
- Side opening
- Protruding handle

Control

- Electronic button control

Cooking Features

- 5 Functions: Microwave, Crisp, Quartz Grill,
- Rapid Defrost, Rapid Start - 3D System

Caring Features

- Timer
- Remind signal sound 24-hour LED clock
- Child lock

Green Features

- ProTouch surface coating
- 2 Halogen lamps on cookerhood

Specifications In Microwave Oven

- Capacity: 22L
- 4 Power levels
- Power output: > Microwave: 750W
- > Grill: 700W

Specifications In Hood

- Extraction flow: 360m3 / hour
- Extraction or recirculation mode - Number of speed: 3
- Metal grease filter
- Diameter of air duct: 120mm
- Connected load: 2100W

Accessories Supplied

- Turntable with support: 250mm diameter
- Cover plate
- Baby bottle holder


Appliance Dimensions - 588H x 598W x 460Dmm

Cut Out Dimensions

- 650H x 600W x 320Dmm

Country of Origin

- Length of power cord: 800mm



- Europe
















HK\$ 16,800 54

55

The Microwave Oven Range



COFFEE MAKERS & WARMER DRAWERS

COFFEE AT ITS BEST

Bauknecht's built-in automatic coffee maker really is an all-rounder: whether it's espresso, cappuccino or macchiato, the powerful 15 bar pump delivers perfect fresh brew from pre-ground coffee or beans.



The perfect coffee experience





YOUR PERSONALISED FLAVOUR: THERE'S NEVER TOO MUCH OF IT

Bauknecht's fully automatic coffee machine offers personalisation of settings for strength of coffee, temperature and cup size. You can choose the amount of milk, coffee and froth according to your taste and pre-programme your favourite setting.

Prefer to get your dose of caffeine from tea? The coffee machine gives you hot water for that special cup too.

GROUND BEANS AND POWDER SELECTION

Our coffee makers are designed to take 250g of your favourite coffee beans, or pre-grounded coffee depending on your needs. You can also adjust the coffee grinder to prepare creamier coffee or coarser ground coffee. After running off the pre-set quantity of coffee, the machine automatically stops run-off and will then empty the coffee grounds into the grounds container. Even specialty coffees that require several steps can be prepared at the touch of a button.





Ergonomic design that pleases in every way





AWARD-WINNING STAINLESS STEEL FOR EASY CLEANING

Similar with our cooking range, the coffee maker is treated with the award-winning ProTouch stainless steel surface. The exterior of the coffee maker is protected from fingerprints, stains and scratches while cleaning is made exceptionally easy.





EASY TO CLEAN AND STORE

The coffee maker comes with its own milk container. At the end of the brewing process, the jug can be easily removed and cleaned. If there is milk left, it can be returned to the fridge and installed back to the coffee machine when needed. It fuses coffee and milk automatically for the perfect cappuccino or caffè latte.





ENSURING EVERY CUP IS FRESH AND HOT

Every time the coffee machine is switched on, it runs an automatic preheat and rinse cycle to ensure that you always have a clean and fresh taste.

XXL WATER TANK



EXTRA LARGE WATER TANK

With a 1.8L water tank, you can brew up to 12 cups of coffee. This tank is located at the front of the machine for easy access during refilling.

ACCESSORIES CONTAINER



STORAGE FOR YOUR CUPS AND BEANS

The coffee machine is positioned on a sliding system so it can be pulled out easily from the front for filling beans or pre-grounded coffee. You can even use the side storage space for placing coffee beans, cups and stirrers.

Maker and Drawer: A match made in heaven



KEEP YOUR CUPS WARM IN A STYLISH WAY

In the world of coffee, temperature is crucial. While water temperature during the brewing process makes a world of difference, optimal drinking temperature adds the finishing touch to a sensational coffee experience. Now, your Bauknecht coffee maker has a perfect partner – our warming drawer that keeps your cups warm at 40°C - 60°C. Coffee excellence, guaranteed.

The coffee maker and warming drawer are made for each other not only in function but also in form. The 45cm high coffee maker and 15cm high warming drawer fit snugly into a 60cm tall cabinet to give your kitchen a neat and stylish look.



KMT9145PT

KOSMOS Fully Automatic Coffee Maker



PRO REMOVABLE RINSE XXL ACCESSORIES
TOUCH MILKJUG CYCLE CONTAINER

Design

- KOSMOS Line

Control

- Touch Control
- Automatic switch on/ off

Caring Features

- Text assisted display
- Personalised type
- > Normal
- > Cappucino
- > Caffè latte
- Personalised taste
- > Extra mild
- > Mild
- > Normal
- > Strong
- > Extra strong

- Personalised size

- > Expresso
- > Small cup
- > Medium cup
- > Large cup > Mug
- Personalised amount of milk
- Adjustable coffee temperature - Adjustable coffee grinder
- Coffee beans or ground coffee
- Electronic coffee and steam thermostat
- Automatic milk frothing jet
- Steam and hot water function
- Water level indicator
- Programmes for rinsing, cleaning and descaling

Green Feature

Bauknecht Coffee Makers & Warmer Drawers

- ProTouch surface

Specifications

- Pump pressure: 15 bar - Water container: 1.8L
- Milk jug capacity: 0.8L
- Removable drip tray
- Connected load: 1150W - Socket / Fuse spur unit: 13A
- Length of power cord: 1250mm

Appliance Dimensions

450 min.

- 455H x 595W x 410Dmm

Cut Out Dimensions - 450H x 560W x 550Dmm

Country Of Origin

200cm²

fresh air inlet

370 R +20 plug

WD150/1PT

Warming Drawer

Design

- Stainless steel panel

Control

- Touch door opening
- Temperature setting: 40°C 60°C

Green Features

- ProTouch surface


Specifications


- 6 Place settings
- Capacity: 20L
- Maximum load: 25kg
- Socket / Fuse spur unit: 13A
- Length of power cord: 1000mm


Appliance Dimensions - 143H x 595W x 551Dmm

Country of Origin









65

Front view

Bauknecht Coffee Makers & Warmer Drawers

HK\$ 8,800

Unit: mm Above diagram is not to scale

HK\$ 29,800



COOKERHOODS

THE FOCAL POINT OF YOUR KITCHEN

Bauknecht's range of extractor cookerhoods combines stunning design and cutting-edge innovations to transform your kitchen into an idyllic space that is cleaner, quieter and most importantly, more environmentally friendly.

Whether it is a decorative hood for stylish fans, an island chimney that fits a luxurious kitchen, a wall mount chimney with a minimal and clean finish, or a telescopic hood that creates more room in the kitchen, there is a Bauknecht cookerhood for any and every cooking space.

Enhancing the atmosphere in your kitchen, in every sense



MORE THAN JUST AN ELEGANT FEATURE

The Bauknecht series of decorative hoods combine form with function. It features a mirrored front panel in white, and effortless swing-opening upon the swipe of an LED touch panel or with an intelligent remote control. These stylish cookerhoods enable extraction flow of up to 1,000m³/hr, so you can enjoy luxurious air cleaning from anywhere in the house.





PERIMETER ASPIRATION: FRESH AIR, ALWAYS

The Bauknecht perimetric cookerhood produces uniform suction so that steam disappears quickly and thoroughly. At the same time, cooking vapours and fumes are evenly transferred to the filters along the outer edges of the hood bottom rather than directly through it, so that more of the grease can be collected. Additionally, the filters are ingeniously concealed so that noise levels are substantially reduced.

Easy to clean with thoughtful green features





LONGER LIFETIME ON LESSER ENERGY CONSUMPTION

Small things can make a huge difference. With energy consumption of 3W (compared with 20W for halogen lamps and 40W for incandescent lamps), the small LED lamp can help you achieve energy savings of up to 85%. Its lifespan, meanwhile, is 20 times longer than halogen lamps.



WASHABLE FILTER



EASY TO CLEAN FILTERS

The grease filters in Bauknecht hoods are made of rust-proof metal and can be easily removed for cleaning. You can use the filters over and over again, while your hood stays clean and hygienic.

SOUND PROOF MOTOR



REDUCED NOISE FOR A QUIETER KITCHEN

Bauknecht's extractor hoods feature a sound proof motor that eliminates turbulence, while the unique phono-absorbing material installed inside the chimney absorbs noise during the extraction process, guaranteeing a pleasant and enjoyable cooking experience.


DELAY OFF



CLEAN AND FRESH AIR EVEN YOU ARE AWAY FROM THE KITCHEN

Our decorative hood is equipped with a delay-off function, so you can leave your hood switched on after intensive cooking, and just walk away and leave the cleaning job to the hood.

INTENSIVE



ADDITIONAL BOOST TO INCREASE EXTRACTION POWER

When you are stir-frying or deep-frying, turn on the intensive mode to temporarily increase the extraction level of your Bauknecht cookerhood. This way, you can be assured that your kitchen will always be free of unpleasant odours. Extraction level has been programmed to return to a lower level after a few minutes.

DWGR8410EW

Decorative Cookerhood with White Mirror Glass Front Panel



- Decorative wall mounted type
- White mirror front panel

Control

- Remote control
- Top swing open with LED glass touch control
- Number of speeds: 4 + 1 intensive

Caring Features

- Grease filter saturation indicator
- Delay off function - 24-hour anti-kitchen pollution
- Control lock
- Cassettes dishwasher safe

Green Feature

- LED lamps: 2 x 20W

Specifications

- Extraction or recirculation mode
- Extraction flow (unrestricted): 1000m3/hour
- Diameter of air duct: 150mm / 120mm
- Socket / Fuse spur unit: 13A

Accessories Supplied

- Remote control

Optional Accessories

- Charcoal filter kit

Appliance Dimensions

- 1145-1625H x 900W x 350Dmm


Country Of Origin














CPB1200 Bauknecht Cookerhood Range

120cm Wall Mounted Chimney Cookerhood



Design

- Wall mounted type
- 1200mm width
- Stainless steel front panel

Control

- Electric soft button control
- Number of speeds: 4 + 1 intensive

Filter Features

- Washable aluminium filter
- Perimeter aspiration

Caring Features

- Delay off function
- 24-hour function
- Dimmer lighting
- Filter saturation indicator

Green Features

- LED lighting
- Sound proof motor

Specifications

- Extraction or recirculation mode
- Extraction flow (unrestricted): 1000m3 / hour

Bauknecht Cookerhood Range

- Diameter of air duct: 150mm
- Socket / Fuse spur unit: 13A
- Length of power cord: 1000mm

Appliance Dimensions

- 600-950H x 1198W x 490Dmm

Country Of Origin














HK\$ 23,800

HK\$ 34,800 72

SPB1200

120cm Wall Mounted Chimney Cookerhood



Bauknecht Cookerhood Range

Design

- Wall mounted type
- 1200mm width

Control

- Electronic soft touch control
- Number of speeds: 3 + 1 intensive

Filter Feature

- Washable aluminum filter

Green Features

- LED lighting
- Sound proof motor

Specifications

- Extraction or recirculation mode
- Extraction flow (unrestricted): 1000m3 / hour
- Diameter of air duct: 150mm
- Socket / Fuse spur unit: 13A

Appliance Dimensions

- 600-950H x 1198W x 470Dmm

Country Of Origin

SOUND PROOF WASHABLE III INTENSIVE

HK\$ 21,800









113 113 42 280 120 Unit: mm Above diagram is not to scale *From upper edge of pan support

CPT1000 90cm Wall Mounted Chimney Cookerhood with Touch Control

- Wall mounted type
- 900mm width
- Black glass front panel

Control

Design

- Touch control
- Number of speeds: 4 + 1 intensive

Filter Features

- Washable aluminium filter
- Perimeter aspiration

Caring Features

- Delay off function
- 24-hour function
- Dimmer lighting
- Filter saturation indicator

Green Features

- LED lighting
- Sound proof motor

Specifications

- Extraction or recirculation mode
- Extraction flow (unrestricted): 1000m3 / hour
- Diameter of air duct: 150mm
- Socket / Fuse spur unit: 13A
- Length of power cord: 1200mm

Appliance Dimensions

- 600-950H x 898W x 490Dmm

Country Of Origin




















Bauknecht Cookerhood Range

HK\$ 19,800

Unit: mm Above diagram is not to scale *From upper edge of pan support

DBTR9190IXL

90cm Chimney Cookerhood



Design

- Wall mounted type
- 900mm width
- Black Glass front panel

Control

- Touch control
- Number of Speed: 4+1 intensive

Caring Features

- Washable aluminium filter
- Perimeter aspiration

Caring Features

- Delay off function

Green Features

- LED lighting
- Anti-scratch iXelium™ coating

Bauknecht Cookerhood Range

Side view

500mm 650mm*

Specifications

- Extraction or recirculation mode
- Extraction flow(IEC61591): 731m3/hr
- Diameter of air duct: 150mm
- Socket / Use spur unit: 13A
- Length of power cord: 1000mm

Appliance Dimensions


- 630-1035H x 898Wx 500Dmm

Country of Origin

- Europe



HK\$ 14,800 76



90cm Telescopic Cookerhood

DNHV1000

Bauknecht Cookerhood Range

Design

- Telescopic type
- 900mm width

Control

- Slider control
- Number of speeds: 3

Filter Feature

- Washable aluminium filter

Green Feature

- Halogen lamps: 2 x 20W

Specifications

- Extraction or recirculation mode
- Extraction flow (unrestricted):
- 950m3 / hour
- Diameter of air duct: 150mm
- Socket / Fuse spur unit: 13A

Appliance Dimensions

- 260H x 898W x 302-454Dmm

Cut Out Dimensions

- 600H x 805W x 264Dmm


Country Of Origin

- Europe



HK\$ 9,800





Unit: mm Above diagram is not to scale *From upper edge of pan support



HOBS


THE INTELLIGENCE AND FLEXIBILITY TO MAKE COOKING SIMPLER

The Bauknecht induction hob range has been designed to give you more cooking pleasure. With the Flexi-zone function, it gives you the freedom to organize your cooking area to suit your requirements. Innovative patented technologies deliver powerful induction heating, while user-friendly controls and features make cooking on the hob unbelievably easy and enjoyable.

All of these properties secured the Flexi-zone hobs the highest scores, earning them the Best of the Best Award 2014 in gold.



Perfect solutions to optimise your time





NO OVERFLOW AND SAVES 30% ENERGY

A special sensor senses the temperature of the pot and boiling peak. It provides an acoustic feedback when water is boiled, and reduces the power level to keep the boiling temperature constant so the water level is under control. If the temperature of the pot gets too high, the hob automatically switches off. This helps you to save up to 30% energy, and prevents over-boiling and drying out of the pot.



FLEXI-ZONE



ACCOMMODATES A WIDER RANGE OF COOKWARE

With the Flexi-zone function, you can combine two cooking zones and manage them as one. The Flexi-zone recognises the shape of the pot or pan you are using and delivers powerful, uniform heating to oval, rectangular and elongated pans.

You can select 2 separate zones independently, with different power levels in each area. Or if you need to, merge the 2 areas into a bigger one to reach an even cooking result over a larger surface.

Intelligent cooking, perfect results

POWER BOOSTER



MAXIMUM HEAT IN JUST 4 MINUTES

Bauknecht hobs feature an up to 5kW booster that can be activated when fast cooking/ boiling is needed to give maximum heat in just 4 minutes at 250°C. Thanks to better evenness in heating distribution, the boiling time is speed up.





ADJUST COOKING TEMPERATURE WITH A GENTLE SLIDE

Touch control user interface with slider function gives you maximum convenience to adjust the cooking temperature. After activating the desired induction zone, the induction power can be manually regulated with the new user-friendly touch-sensitive slider: a gentle sliding of the finger over the scale enables smooth control of the hob's temperature.

SCHOTT C E R A N®



WORLD'S ONLY GLASS MADE WITHOUT TOXIC MATERIALS

All Bauknecht induction hobs are fitted with SCHOTT CERAN® glass ceramic surfaces. These are the only glass ceramic tops produced without the use of heavy metal arsenic and antimony – yet another way Bauknecht helps you to contribute to environmental protection.

ENERGY EFFICIENT



HIGH ENERGY EFFICIENCY OF UP TO 90%

Induction heating has an energy efficiency of 90%, compared with 65% for radiant heating and 52% for gas heating. Also, an induction cooking surface cools in 6 minutes, substantially quicker than gas (14 minutes), and radiant hobs (25 minutes), and reacts much faster in changing heating power than radiant hobs. All these add up to significant reduction of energy consumption.

LIGHTRONIC



PRECISE TEMPERATURE CONTROL FOR A HUGE VARIETY OF COOKING TASKS

The induction hobs are equipped with Bauknecht's own state-of-the art technology, which allows you to use a wider range of cooking temperatures compared to a standard hob. The temperature varies from very low to extremely high, giving the right heat for every recipe: chocolate melting at 35°C; keeping warm at 60-70°C; fast boiling at 100°C.

MELT & SIMMER



ALWAYS ADAPTS TO YOUR NEEDS

The new user interface enables a wide selection of convenient cooking modes for daily preparation of food, with special functions like melting and simmering. To use one of the two automatic functions, the desired zone must be activated before the desired automatic function, melt or simmer. The power is automatically maintained at the right level.

Mix and match with style












MORE SPACE, MORE FLEXIBILITY

Bauknecht also offers domino hobs so that you can mix and match different combinations according to your kitchen size and needs. Thanks to the Sabaf® burner from Italy, our single wok burner provides up to 5.2kW, which is more than hot enough for those who enjoy Chinese stir-fried dishes.

ESMIF8740IN

4-head Induction with Flexi-Zone



- Full glass with LED display

Control

- Slider touch control
- Power levels: 9

Cooking Features

- Automatic programme
- Melting - Simmering
- Flexi-zone

Caring Features

- Auto-sensor
- Timer function
- Acoustic minute minder
- Residual heat indicator
- Pause function
- Child lock
- Anti-spill control
- Safety switch off feature

Thickness Of Worktop

Minimum Ventilation Space

Unit: mm Above diagram is not to scale

drawer(non-combustrible materials)

- Minimum 50mm back and minimum100mm side clearance from glass

- Minimum 20mm / 100mm clearance from base trap of hob to washer /

edges of hob to its surrounding non-combustrible materials

- 20-50mm

- Automatic pot detection

Green Feature

- SCHOTT CERAN® glass

Specifications

- Spur unit: 32A
- Length of power cord: 1000mm
- Cooking zones diameter/outputs:

Appliance Dimensions

Bauknecht Hobs Range

- 52H x 775W x 515Dmm

Cut Out Dimensions

- 750W x 490Dmm

Country Of Origin

- Italy

Worktop must be 20-50mm thick

Min 20 clearance from base

tray of hob to drawer (non-combustible material

tray of the cooker to washer or min 100 clearance from base

underneath) as recommended

200cm² fresh air inlet

Zone	Output (W)	Output with booster (W)	Diameter (mm)
Rear left	1850	2500	180/ 230
Front left	1850	2500	180/ 230
Middle	1400	1800	145
Right	2300	3700	280

Total power (max): 7,400W

Min 50 back and min

from glass edges of


hob to its surround

non-combustrible

material as recommended by

ESPIF8640IN

4-head Induction with Flexi-Zone



- Full glass with LED display

Control

- Slider touch control
- Power levels: 9

- Timer function
- Acoustic minute minder
- Residual heat indicator
- Pause function
- Child lock
- Anti-spill control
- Safety switch off feature
- Automatic pot detection

Thickness Of Worktop

Minimum Ventilation Space

Above diagram is not to scale

- 20-50mm

Cooking Features

- Automatic programme
- Meltina
- Simmering

Caring Features

- Auto-sensor

Green Feature

- SCHOTT CERAN® glass

Specifications

- Spur unit: 32A
- Length of power cord: 1000mm
- Cooking zones diameter/outputs:

Appliance Dimensions - 52H x 585W x 515Dmm

Bauknecht Hobs Range

Cut Out Dimensions - 560W x 490Dmm

Country Of Origin

fresh air inlet

one	Output (W)	Output with booster (W)	Diameter (mm)
ear left	1850	3200	180
ont left	1850	2500	180
iddle	2300	4200	240
ght	1400	1800	145

Total power (max): 7,400W






















HK\$ 23,800

HK\$ 29,800

TIMER

CHILDREN

CHILDREN

RESIDUAL

RESIDUAL

RESIDUAL

RESIDUAL

RESIDUAL

RESIDUAL


RESIDUAL

RESIDUAL

87

ETI6260IN

Domino 2-head Induction Hob with Touch Control



- Full glass with LED display

Control

- Touch control

Cooking Feature

- Timer function

Caring Features

- Safety switch off feature - Acoustic minute minder
- Automatic pot detection
- Child lock
- Anti-spill control

Green Feature

- SCHOTT CERAN® glass

Installation drawing for 3 sets of domino hobs

ETI6160IN

Unit: mm Above diagram is not to scale

TGC6180IN

Optional Accessories - Connecting rail

Specifications

- Spur unit: 20A
- Length of power cord: 1000mm

Thickness Of Worktop

Minimum Ventilation Space

- Minimum 50mm back and minimum100mm side clearance from

glass edges of hob to its surrounding non-combustrible materials - Minimum 20mm / 100mm clearance from base trap of

hob to washer / drawer (non-combustrible materials)

- 20-50mm

Induction Hob

-100 min

ETI6260IN

- Cooking zones diameter/outputs:

Appliance Dimensions

Bauknecht Hobs Range

- 58H x 288W x 515Dmm

Cut Out Dimensions

- 275W x 495Dmm

Country Of Origin

Zone	Output (W)	Diameter (mm)
Front	1200	145
Rear	2200	210

0-50mm thick

Min 20 clearance from base

(non-combustible material

tray of hob to drawer

by manufacturer

tray of the cooker to washer or

underneath) as recommended

fresh air inlet

Total power (max): 3,000W

Min 50 back and min

from glass edges of

hob to its surrounding

non-combustrible

recommended by

material as

manufacturer

ETI6160IN

Domino 1-head Induction Hob with Touch Control



- Full glass with LED display

Control

Touch control

Cooking Feature

- Timer function

Caring Features

- Safety switch off feature
- Residual heat indicator
- Acoustic minute minder - Automatic pot detection
- Child lock
- Anti-spill control

Green Feature

- SCHOTT CERAN® glass

Optional Accessories

- Connecting rail

Specifications

- Total power (max.): 3000W

- Spur unit: 20A

- Length of power cord: 1000mm
- Cooking zones diameter/outputs:

Appliance Dimensions - 58H x 288W x 515Dmm

Bauknecht Hobs Range

Cut Out Dimensions

- 275W x 495Dmm

Country Of Origin

Zone	Output (W)	Diameter (mm)
Middle	3000	210

Total power (max): 3,000W












Optional accessories:

- Connecting rail (TR60): \$600

HK\$ 9,800





Optional accessories:

- Connecting rail (TR60): \$600

HK\$ 9,800

88

TGZ6260/IN

Domino Gas Hob with 2 Burners

Buknecht

Design

- Glass in black colour

Control

- Silver painted knob control

Caring Feature

 Electromagnetic safety valves

Green Feature

- SCHOTT CERAN® glass

Specifications

- Thermo-electric ignition fuse
- Length of power cord: 900mm
- Inlet gas pipe: 20mm
- Heat Input:

Optional Accessories

- Connecting rail

Appliance Dimensions - 52H x 288W x 515Dmm

Bauknecht Hobs Range

Cut Out Dimensions

- 275W x 495Dmm Country Of Origin

Italy

Zone	Town Gas (W)	LPG (W)
Front	1650	1650
Rear	3000	3000

Thickness Of Worktop

Minimum Ventilation Space

(Gistanon)

Optional accessories:

- Connecting rail (TR60): \$600

HK\$ 9,800

90

- Minimum 50mm back and minimum100mm side clearance from glass edges of hob to its surrounding non-combustrible materials - Minimum 20mm / 100mm clearance from base trap of hob to washer / drawer (non-combustrible Installation drawing for 3 sets of domino hobs Min 50 back and min 100 side clearance from glass edges of GAS HOB hob to its surrounding INDUCTION 515/ recommended by GAS HOB 20-50mm thick Min 20 clearance from base tray of the cooker to washer or min 100 clearance from base tray of hob to drawer (non-combustible material underneath) as recommended 275 14 275 fresh air inlet Unit: mm Above diagram is not to scale

TGC6180/IN

Domino Gas Hob with Single Burner



Design

- Glass in black colour

Control

- Silver painted knob control

Caring Features

- Safety valves
- Italian Sabaf® burner

Green Feature

- SCHOTT CERAN® glass

Specifications

- Heat Input:

Optional Accessories

- Connecting rail

Appliance Dimensions

- 67H x 288W x 515Dmm

Cut Out Dimensions

- 275W x 495Dmm

Country Of Origin

- Asıa


Zone	Town Gas (W)	LPG (W)
Middle	5200	5000



Optional accessories:

- Connecting rail (TR60): \$600

HK\$ 9,800



Bauknecht Hobs Range





REFRIGERATORS & WINE CELLARS

GRANDNESS, INSIDE AND OUTSIDE.

If you're passionate about cooking, you know that the finest food starts with great ingredients. You choose them with care and preserve them in ideal conditions so they stay as fresh as just bought and keep all their quality, flavour and texture. That is why Bauknecht brings you the new refrigeration and wine collection which offer you excellent preservation conditions and flexibility whilst also meeting all your design requirements.

Bauknecht's Allegro Collection Versatile, just like your need of space



ALLEGRO COLLECTION. GUARANTEE ALL THE SPACE YOU NEED.

Not only do the shelves easily adjust to whatever height you want to make the best use of the space, but you can also completely reorganize your refrigerator to meet your specific requirements by customizing the large multipurpose bottom drawer compartment.

Bauknecht's new Allegro Collection comprises of incredible versatility that enables you to use this space in fridge, freezer or Dynamic 0° mode, the special function created especially for preserving fresh foods and specialty ingredients.





SMART FEATURES TO PRESERVE WITH THE UTMOST CARE

The Dynamic 0° double drawer compartment guarantees all your fresh produce, meats, fish and dairy products are perfectly preserved in the optimum environment. It offers the best possible conditions for specialty cheeses and succulent filet mignon steaks, while keeping crispy salads crisper and leafy vegetables as fresh as the day they were bought.

Low temperatures in combination with correct humidity levels slow down the proliferation of bacteria and decay and prevent fresh foods losing moisture, keeping everything fresher for longer.

Just select a temperature between -2 and +2 degrees for the drawers, and the humidity level in the compartment is automatically adjusted accordingly.

Built to your preferred combination

* MULTI-TEMPERATURE



MULTI-TEMPERATURE DRAWER

The Multi-Temperature Drawer can be used as additional fridge space, or switched to Dynamic 0° mode to give you more room for your freshest produce and specialty ingredients.

It also functions as a freezer for storing your frozen goods or freezing your favourite homemade dishes so they are always ready when needed

ADJUSTABLE SHELVES



EASILY ADJUSTABLE SHELVES

Creating and managing space in your refrigerator has never been easier. The shelves can be conveniently split and individually adjusted to any height, transforming the interior into a well-organised, versatile space that's wonderfully practical and designed for all your needs.

ICE CUBE MAKER



AUTOMATIC ICE MAKER

The Allegro refrigerator is equipped with a fully automatic Ice Maker, with an option to connect directly to the water supply, and an integrated water filtering system that guarantees your ice cubes are always completely odourless and

DUAL-MOVEMENT HINGES - LED



DUAL-MOVEMENT HINGES

Patented dual-movement hinges combine technological innovation and design. These dualmovement hinges guarantee unlimited flexibility when designing your kitchen as it fits flush with cabinetry and countertops to ensure a sleek, luxurious finish. Each hinge has a self-balancing movement for guaranteed stability and longlasting premium performance.





LED LIGHTING

Creating an enhanced sense of space, the strategically-placed LED lights ensure you find what you're looking for with maximum illumination and minimum energy consumption.

Bauknecht's Allegro Collection Optimal storage for the perfect glass



A PEACEFUL DWELLING FOR YOUR PRECIOUS VINTAGES

For wine experts and enthusiasts, the Allegro wine cellar is designed for ideal storage of fine wines.

The preservation zone, equipped with humidity and temperature level controls, is a dedicated compartment for the ideal preservation of gourmet and vintage wines, whose key parameters can be modified at any time to best suit the stored bottles.

The pull-out shelves are made of natural wood, the stratified glass door blocks UV rays, while the anti-vibration system minimizes movement, creating the ultimate protecting environment for the most delicate bottles and preserving them to be enjoyed over time.





UV PROTECTION

3 LAYERS OF PROTECTION.

Allegro wine cellars feature a triple-glazed door with bronzed glass to guarantee maximum protection from harmful UV rays and any sudden changes in ambient temperature. The three layers of protection give you peace of mind knowing that nothing will affect the quality and flavour of your

PRESERVE AND AGED RED WINE

Allegro wine cellars offers so much more than a simple wine cooler. With precision temperature and humidity control, the compartment is suitable for preserving and aging fine red wines. It provides the ideal conditions for corks and allows your precious vintages to develop to their full potential, just as if they were stored in your own underground cellar.



ANTI-VIBRATION

ANTI-VIBRATION SYSTEM

Effective compressor insulation guarantees full protection from vibration. Its anti-vibration system minimizes any movement, creating the safest environment for even the most delicate bottles so you can preserve them to be enjoyed at your leisure whatever the occasion.

Optimal freshness for a healthier lifestyle



FOOD STAYS PERFECTLY FRESH AND LASTS FOR LONGER

We understand you like to use fresh ingredients when cooking, and this makes it all the more important that fresh foods are stored properly. The patented Profresh Technology, together with Green Intelligence™ Technology, precisely monitors humidity and temperature – two factors crucial for ideal storage conditions. We care for your health, as do you.





RETAINS IDEAL HUMIDITY AS PROVEN BY GERMAN TEST INSTITUTE

With the ProFresh™ technology, the compressor and fan operate separately. The compressor is switched on and off to adjust temperature within the refrigerator, while the fan reintroduces moisture that is condensed on the evaporator into the cavity. This way, food is stored at the ideal humidity of 70-85% and temperature variation is minimised. Food items stay fresh up to 4 times longer in your Bauknecht refrigerator than under conventional storage conditions, with valuable nutrients freshly preserved for your daily enjoyment. This way, ProFresh™ also saves you time, because your weekly food shopping stays really fresh.



G R E E N

RECOVERS TEMPERATURE 5 TIMES FASTER

Your Bauknecht refrigerator is equipped with our innovative Dynamic Intelligence sensor technology, which automatically regulates the temperature of the compartments to compensate for any variation. If refrigerator temperature rises due to increased food load or door opening, the three Green Intelligence™ sensors will immediately detect the change and swiftly restore the temperature to optimal value. This way, refrigerator temperature recovers 5 times faster, while freezing in the freezer compartment is achieved 30% faster, thus reducing energy consumption by 30%.

Optimal temperature and energy saver, all at once







ELIMINATING UP TO 99% OF BACTERIA

Hygiene+ filter offers exceptional anti-bacterial capabilities without the use of chemicals. It inhibits the spread of health-threatening bacteria and mould inside the refrigerator for a cleaner and healthier environment with less odours and cross-contamination, giving the best conditions for storing fresh food items. The filter can be replaced twice a year.





DOUBLE ELECTRONIC PADDLES FILL CONTAINERS OF ANY SIZE

Two paddles – one for ice, one for water with a rotating nozzle – let you fill containers of any size and shape. The professional water filter can purify 1500L of water before it needs to be replaced. The flow rate of the water dispenser is 1.51L per minute, while on the ice maker it is 1.13L per minute.



ICE CUBE MAKER



ICE CUBE MAKER WITH THE LARGEST 5.5L ICE STORAGE

Bauknecht provides you with not only chilled filtered water at the press of a button, but also ice cubes and crushed ice for your favourite drinks.

With the largest ice storage in the market, the extra large 5.5L ice cube maker is capable of making 1.3kg of ice per day. It can also be detached to use to serve chilled drinks at your table.

O°C GOURMET FRESHBOX



GOURMET FRESHBOX KEEPS FOOD FRESH 3 TIMES LONGER

The Gourmet FreshBox is a freshness compartment for storing perishable foods like fish, meat and dairy products under the best conditions. At almost 0°C and low humidity, these foods can remain fresh up to 3 times longer.

A++ ENERGY CLASS



SAVES 29% ENERGY COMPARED TO CLASS A+

Class A+ energy efficiency means 24% more savings than Class A. Bauknecht's A++ energy-efficient refrigerators reduce consumption by a further 29% compared to Class A+. So you can actively contribute to conserving the environment on a daily basis, while watching your energy bills go down.

StarLight



ATTRACTIVE AND ECO-FRIENDLY LED LIGHTING

The interior lighting system utilises LED lights, which not only uses less energy, but also radiates lesser heat than traditional light bulbs.

Thoughtful design for the perfect bottle



The Bauknecht wine cellar has been designed to safely store a maximum number of bottles. The wine serving cabinets are fitted with patented ProGlide shelves, making it easier to access individual bottles. While keeping each bottle isolated, the design allows you to display your prized collection in one row. With Bauknecht's wine cellars, you will have the perfect bottle for every occasion, always.



FLUSH-FITTING AND SPACE-SAVING, GUARANTEED

Bauknecht wine cellars have been designed to flush-fit into kitchen units. Thanks to its dimensions, it also adapts to kitchen design requirements. The front ventilated system at the base of the wine cellar allows it to be pushed to the very back – a true built-in solution.



PATENTED SOLUTION FOR SAFEST SUPPORT

The patented ProGlide shelves are made with dual material, combining a rigid structure for holding the bottle and a flexible material which adapts to the shape of the bottle, which protects it from vibration. The shape of the ProGlide shelves are designed to optimise air circulation through the cabinet, and provides ergonomic individual bottle support just like being served by a wine steward.

Depending on the size of the bottles, it is possible to change the configuration by moving, removing or adding shelves with simple steps.

Optimal temperature and energy saver, all at once

XXL CAPACITY



LARGE CAPACITY OF UP TO 167 BORDEAUX BOTTLES

The compact wine cellar holds up to 56 Bordeaux bottles, and the full height cellar is able to hold up to 167 Bordeaux bottles. This means that whatever the occasion, you will always have enough wine that are all kept in prime condition.

THERMAL SYSTEM



OPTIMAL STORAGE TEMPERATURE AT 5 - 22°C

The two enemies of wine are extreme temperatures and sudden changes in temperature. The walls of the wine cellars are made with a 5cm thick cellular insulant, and with the help of thermal control systems, storage temperature is kept between 5°C and 22°C to keep your favourite vintage at its best.

HUMIDITY+



OPTIMAL HUMIDITY TO ENSURE LABELS WON'T COME OFF

Exclusive humidity preservation and management systems keep humidity between 50% - 85% to prevent corks from drying out and losing their sealing abilities. And as every wine lover knows, it is essential to keep the labels of your prized collection intact. Additionally, the interior of the wine cellar is an integral body made with one piece, and with a crimped aluminum wall to maintain a relative humidity rate of between 60 - 75%.

CHARCOAL FILTER



NATURAL VENTILATION WITH FILTERED AIR

A constant supply of external filtered air is essential to prevent unpleasant odours and mould development. A charcoal filter ensures slow-flowing, filtered air and prevents undesirable odours which could spoil the taste of the wine. To ensure optimal performance, we recommend changing the filter every year.

UV PROTECTION



UV-RESISTANT DOORS PROTECT IT FROM THE DANGERS OF LIGHT

Light, particularly its UV component, causes wine to quickly deteriorate by irreversible oxidations of tannins. Bauknecht's wine cellar comes with UV-proof glass doors so your wines will be protected from light.

ANTI-VIBRATION



4 MAJOR PROTECTION TO PREVENT VIBRATIONS

Vibrations will ruin your prized collection. Our thoughtful features provide several levels of protection, like maintaining perfect stability using adjustable rubber feet, ProGlide shelves equipped with shock absorbers, a compressor fitted with 4 silent blocks and a compressor bracket that is independent of the body.

KGIN3210

90cm Fully Integrated Refrigerator



Design

- Built-in type

- Soft closing door system

Control

- Electronic control
- Digital temperature display - Control panel lock
- Independent temperature control
- Black out memory

Caring Features

- Multi temperature drawer - Dual movement hinge
- Even airflow system
- Fast cooling
- Fast Freezing
- High temp alarm
- Bottle cooler
- Triple zone
- Adjustable balconies

Green Features

- Europe energy class A+
- LED lighting
- No frost system - Vacation mode
- Door open alarm

Interior Space Management

- Fridge > 4 Glass shelves
- > 2 Drawers
- > 3 Height adjustable balconies
- > Cheese and meat fresh zone > 5 Door racks
- Freezer
- > Ice maker

Specifications

Bauknecht Refrigerator Range

- Total capacity: 429L
- Fridge capacity: 220L
- Drawer capacity: 96L - Freezer capacity: 113L
- Noise level: 44dB(A)
- Annual energy
- consumption: 474kWh
- Freezing capacity: 15kg in 24hrs
- Rising time: 15hrs

Appliance Dimensions

- 2050H x 887W x 575Dmm


Cut out Dimensions

- 2064H x 900W x 605Dmm


Country Of Origin

Europe















clearance for anti-tipping bracket



SF3210

60cm Fully Integrated Wine Cellar



Design

- Built-in type

- Soft closing door system

Features

- Electronic control
- Digital display
- Dual Movement hinges
- Multi-temperature drawers
- Soft closing system
- Independent temperature control
- Even airflow system
- Anti-vibration system
- Preserve & Age red wine cell

Green Features

- Europe energy class A+
- LED lighting system

Specifications

Capacity:

- Multi-temperature drawer: 55L

- Top compartment: 47L Bottle Capacity:

- Top compartment: 30 Temperature range:
- Top compartment: 4 to 12°C
- Multi-temperature drawer:
- -15 to + 2°C

Number of wood sliding shelves: 9 Socket / Fuse spur unit: 13A

Appliance Dimensions - 2050H x 587W x 575Dmm

Cut Out Dimensions

Bauknecht Wine Cellar Range

- 2064H x 600W x 605Dmm


Country of Origin



















109

HK\$ 69,800

108

HK\$ 75,800

KSN570A+GW

Side-by-Side Refrigerator with White Glass Front



- Side-by-Side freestanding type
- White glass front with integrated handle

Control

- Electronic button control
- Digital temperature display
- Independent control of fridge and freezer
- Control panel lock

Caring Features

- Fridae
- > Hygienic fresh keeping drawers
- > Anti-bacterial filter
- > Multiflow system
- Freezer
- > Extendable water dispenser with 2 electric paddles
- > Turbo freeze

Green Features

- Europe energy class A+
- Green Intelligence Technology
- No-frost system
- Vacation mode

Interior Space Management

- > 4 Shelves made of safety glass
- > Stainless steel bottle rack
- > Snack compartment
- > Cheese and meat fresh zone
- > 5 Door racks
- Freezer
- > In-Door-Ice system
- > Ice maker with ice cube container
- > Removable 8L ice cube holder
- > 3 Shelves
- > 2 Transparent freezing drawers
- > 2 Door racks

Specifications

Bauknecht Refrigerator Range

- Total net capacity: 505L
- Fridge net capacity: 325L
- Freezer (4 stars) net capacity: 180L
- Noise level: 45dB(A)
- Annual energy consumption: 438kWh
- Freezing capacity: 12kg in 24hrs
- Rising time: 5hrs
- Socket / Fuse spur unit: 13A
- Length of power cord: 2000mm
- Inlet water pipe: 1250mm

Appliance Dimensions

- 1780H x 905W x 700Dmm

Country Of Origin

- Italy

KSN505A++IL

Side-by-Side Refrigerator



- Side-by-Side freestanding type
- Inox front with handle

Control

- Electronic button control
- Digital temperature display
- Independent control of fridge and freezer
- Control panel lock

Caring Features

- Fridge
- > Hygienic fresh keeping drawers
- > Anti-bacterial filter
- > Multiflow system
- Freezer
- > Fast freeze

Green Features

- Europe energy class A++ - Green Intelligence Technology
- No-frost system

> Snack compartment

- Vacation mode

> 5 Door racks

> 5 Door racks

- Freezer

> 3 Shelves

> 4 Shelves made of safety glass

> Cheese and meat fresh zone

> 2 Transparent freezing drawers

- Noise level: 45dB(A) Interior Space Management - Annual energy
 - consumption: 364kWh

- Freezer (4 stars)

net capacity: 207L

Bauknecht Refrigerator Range

Specifications

- Freezing capacity: 12kg in 24hrs

- Total net capacity: 542L

- Fridge net capacity: 335L

- Rising time: 5hrs
- Socket / Fuse spur unit: 13A
- Length of power cord: 2000mm

Appliance Dimensions

- 1780H x 902W x 740Dmm (700Dmm without handle)

Country Of Origin

- Europe



HK\$ 35,800





















Unit: mm Above diagram is not to scale




HK\$ 27,800

G R E E N







110

KGIN3183A++

Fully Integrated Refrigerator



A++

CLASS NO FROST

CLASS NO

- Fully integrated refrigerator

- Right-hinged door (inter-changeable)

Control

- Electronic button control
- Digital temperature display - Independent control of fridge
- and freezer
- Control panel lock

Caring Features

- Door open alarm
- Active ventilation system for uniform temperature distribution
- Fridge > Antibacterial filter
- Freezer
- > Temperature alarm

Socket on the side of appliance.

Unit: mm Above diagram is not to scale

> Super freeze

Green Features

- Green intelligence technology
- No-frost freezer
- StarLight LED lighting
- Eco night function
- HK energy label Grade 1*

Interior Space Management

- > 5 Shelves made of safety glass
- > 4 Door racks
- > 1 Vegetable tray

Accessories Supplied

Ice cube tray

Specifications

- Total net capacity: 258L - Fridge net capacity: 197L

- Freezer (4 stars) net capacity:

- Noise level: 38dB(A)

Bauknecht Refrigerator Range

- Annual energy consumption:
- Cool performance ratings: 4 stars
- Freezing capacity: 9kg in 24hrs
- Rising time: 16hrs
- Socket / Fuse spur unit: 13A
- Length of power cord: 2000mm

Appliance Dimensions

- 1770H x 540W x 545Dmm

Cut Out Dimensions

- 1776H x 560W x 555Dmm

Country Of Origin

KGIN31811/A+

Fully Integrated Refrigerator



Design

- Fully integrated type
- Right-hinged door (inter-changeable)

Control

- Electronic button control
- Digital temperature display - Independent control of fridge and freezer
- Control panel lock
- Door open indicator of freezer

Caring Features

- Door open alarm
- Active ventilation system for uniform temperature distribution
- Fridge
- > Antibacterial filter
- > Multiflow system
- Freezer
- > Temperature alarm
- > Super freeze

Green Features

- HK energy label Grade 1*
- No-frost freezer - Vacation mode
- StarLight LED lighting

Interior Space Management

- > 5 Shelves made of safety glass
- > 4 Door racks
- > 1 Vegetable tray

Accessories Supplied

 Egg tray - Ice cube tray

- **Specifications**
- Total net capacity: 262L - Fridge net capacity: 199L
- Freezer (4 stars)
- net capacity: 63L - Noise level: 38dB(A)
 - Annual energy

- consumption: 296kWh
- Freezing capacity: 9kg in 24hrs
- Rising time: 16hrs

Bauknecht Refrigerator Range

- Socket / Fuse spur unit: 13A
- Length of power cord: 2250mm

Appliance Dimensions - 1770H x 540W x 545Dmm

Cut Out Dimensions

- 1776H x 560W x 555Dmm

Country Of Origin

- Italy

*Based on EMSD code of practice in Year 2010
















HK\$ 25,800



HK\$ 28,800

G R E E N

112

^{*}Based on EMSD code of practice in Year 2010

KGIE3205/A++

Fully Integrated Refrigerator



SUPER

CLASS

SUPER

CHILDREN

CHILDREN

CHILDREN

CHILDREN

D

FREEZE

HYGIENE
PROTECTION

FLOW

SUPER HOUDAY SAVING LED

Hygiene tested

Design

- Fully integrated type
- Right-hinged door (inter-changeable)

Control

- Electronic button control
- Digital temperature display
- Independent control of fridge and freezer
- Control panel lock

Caring Features

- Door open alarm
- Active ventilation system for uniform temperature distribution
- Fridae
- > Antibacterial filter
- > Multiflow system
- Freezer
- > Temperature alarm
- > Super cool and Super freeze

Green Features

- Europe energy class A++
- HK energy label Grade 1*
- Vacation mode
- StarLight LED lighting

Interior Space Management

- Fridge
- > 5 Shelves made of safety glass
- > 4 Door racks
- > 2 Vegetable trays
- Freezer
- > 3 Transparent freezer drawers

Specifications

- Total net capacity: 264L
- Fridge net capacity: 200L
- Freezer (4 stars) net capacity: 64L
- Noise level: 37dB(A)

- Annual energy consumption: 204kWh

Bauknecht Refrigerator Range

- Freezing capacity: 9kg in 24hrs
- Rising time: 19hrs - Socket / Fuse spur unit: 13A
- **Appliance Dimensions**

- 1770H x 540W x 545Dmm

Cut Out Dimensions - 1776H x 560W x 555Dmm

Country Of Origin

- Italy

*Based on EMSD code of practice in Year 2010

S2560 Full Height Wine Cellar



- Full glass door with black trim
- Double temperature display (low temp + high temp)
- Electronic display
- Allow for flush-fitted or freestanding

Features

- Bottle capacity: 118 (167 bottles max capacity)
- 14 ProGlide sliding shelves
- Humidity Control
- Front vented ventlation
- Active charcoal filter
- Reversible full glass door
- Interior LED lighting with UV protection
- Thermal Insulation
- Double-layered door glass
- Double sensors

Control

- Electronic Touch Control
- Caring Features - Anti-vibration compressor
 - Open Door Alarm
 - Charcoal Filter Alarm
 - Temperature Alarm
 - Lighting selection key - Humidity Alarm
 - Lock
 - Adjustable feet

Specifications

- Temperature range: 5°C 22°C
- Ambient room temperature for usage: 12°C - 35°C
- Humidity range: 50% 85%
- Number of shelves: 14
- Consumption per 24hr: 0.45kWh
- Socket/ Fuse spur unit: 13A
- Length of power cord: 1300mm

Optional Accessories

Bauknecht Wine Cellar Range

- Presentation shelves **Appliance Dimensions**

- 1792H x 595W x 566Dmm

Cut Out Dimensions

- 1800H x 600W x 571Dmm

Country Of Origin - France





HK\$ 49,800













Unit: mm Above diagram is not to scale



Socket on the side of appliance. Unit: mm Above diagram is not to scale



HK\$ 18,800

114

S560 Built-under Wine Cellar



Design

- Full glass door with black trim
- Double temperature display (low temp + high temp)

Features

- Bottle capacity: 38 (56 bottles max capacity)
- 4 ProGlide sliding shelves
- Front vented ventilation
- Active charcoal filter
- Reversible full glass door
 Interior LED lighting with UV protection
- Thermal Insulation
- Double-layered door glass Double sensors

Control

- Electronic Touch Control

Caring Features

- Anti-vibration compressor
- Open Door Alarm
- Charcoal Filter Alarm - Temperature Alarm
- Lighting selection keyLock

Specifications

- Temperature range: 5°C 22°C
 Ambient room temperature for usage: 12°C 35°C
 Humidity range: 50% 85%
 Number of shelves: 4

- Consumption per 24hr: 1.03kWh
- Socket/ Fuse spur unit: 13A
- Length of power cord: 1300mm

Appliance Dimensions

Bauknecht Wine Cellar Range

- 820H x 597W x 560Dmm

Cut Out Dimensions

- 837-853H x 600W x 570Dmm

11*7*

Country Of Origin

- France














HK\$ 32,800



The innovation that has revolutionized dishwashing






CLEANING AND DRYING IN JUST ONE HOUR*

PowerDry is a unique patented technology that ensures excellent drying results, thanks to a closed system that removes humidity from the cavity through a condensation process.


The unique PowerDry ventilation system with double air circulation means that, after rinsing, moisture inside the dishwasher is deliberately removed and condensed. Thus, when opening the dishwasher right after the cleaning process, there will be no presence of steam. Dishes can be immediately removed from the dishwasher without the risk of burning.

*With the "1hour wash & dry" program and the PowerClean+ feature not in use. (Status:03/2014).






The 1 hour wash & dry is a special program developed to last only 1 hour, for perfectly washed daily load. The program automatically activates the PowerDry option to deliver outstanding drying results.



After last rinsing phase, humidity inside the cavity is sucked by the upper inlet and directed to the condenser.



At the same time, the fan is activated and blows cool air around the condenser, reducing the temperature of air passing through.



As a result, condensed air comes back as water drops into the cavity through the lateral inlet.



ULTIMATE SPOTLESS DRYING EVEN ON PLASTIC ITEMS

PowerDry has been developed to provide oustanding drying results on plastic items. Get maximum shine without the use of a towel, no risk of water-stains nor dripping on the kitchen floor. Your plastics & dishes can be placed straight into a cupboard or on the table!

Intelligent programmes, enjoyable dishwashing

POWER CLEAN PLUS



NO PREWASH WITH 28 POWERFUL JET SPRAYS

PowerClean+ is a patented technology that provides best cleaning results even on burnt-on soil pots or large items with no need to prescrub. The sensor will automatically detect the level of soil and will adjust the PowerClean+ water jet pressure accordingly.

Flexi space



MORE SPACE, MORE FLEXIBILITY

The rack has been specifically developed to allow special vertical loading of pots in the PowerClean+ area, creating a free space in the lower for up to 10 additional dishes.

*Compared to a Bauknecht dishwasher without PowerClean+function, washing 2 pans.





MICROBAN-TREATED FILTER REMOVES 99% BACTERIA

Bauknecht's dishwashers are equipped with the first hygiene protection system certified by the German LGA test institute. Water is raised to 72°C at the end of the washing cycle to remove 99.999% of bacteria. The special Microban antibacterial protection, integrated in the Hygiene+ filter, ensures that no bacteria is lodged in the system.

G R E E N INTELLIGENCE"



PATENTED TECHNOLOGY ACHIEVES 50% ENERGY SAVINGS

The Green Intelligence technology is the Bauknecht solution for smart optimization of resources. Advanced sensors recognize the type of load and the level of soil and automatically adjusts the amount of water, temperature and time, allowing up to 50%* saving.

*Comparison between min. and max. water and electricity consumption, and between longest and shortest duration in the Bauknecht Sensor programme.

A+++ ENERGY EFFICIENCY



TOP-IN-CLASS ENERGY EFFIICENCY

PowerDry also minimizes the energy required to dry in combination with ultra efficient variable speed motors. When PowerDry is activated, the cycle duration is reduced up to 35 minutes, without increasing energy consumption. The system delivers a top efficiency energy class (A+++).

GLASS PROGRAMME



GENTLE WASHING AT 40°C TO ENSURE NO BREAKAGE

Fragile glasses and porcelain can now be washed in the machine without worries. At 40°C the Glass programme cleans your crockery gently and thoroughly – water consumption is much lower than when you wash by hand.

GSXPX384A3

Fully-integrated Dishwasher



Design

- Fully integrated type

Control

- Electronic touch control
- Start time pre-set: 0.5-24 hours

Caring Features

- PowerClean Plus Technology
- PowerDrv
- Overflow protector
- Hygiene+ filter
- Operation Light on floor
- End of cycle indicator

Green Features

- Green Intelligence Technology
- Energy / Cleaning / Drying performance: A+++AA
- Multizone programme

Cleaning Programs

- Sensor power clean plus program 40°C-70°C
- Glass program 40°C
- Express program 45°C
- 1 hour wash & dry 55°C - Normal program 60°C
- Intensive 65°C
- Night program 50°C
- Steam 70°C

Specifications

- 13 Place settings Consumption rates
- Water: 7.7L
- Electricity: 0.64kWh
- Time: 185 minutes

- Minimum water consumption: 7.5L
- Sound level: 44dB(A)

Bauknecht Dishwashers Range

- Socket / Fuse spur unit: 13A

Appliance Dimensions

- 820H x 597W x 555Dmm

Cut Out Dimensions

- 820-900H x 600W x 580Dmm

Country Of Origin

- Europe

GSIPX384A3P

Semi-integrated Dishwasher



Design

- Semi-integrated type

Control

- Electronic touch control
- Start time pre-set: 0.5-24 hours

Caring Features

- PowerClean Plus Technology
- PowerDrv
- Overflow protector
- Hygiene+ filter
- Operation Light on floor
- End of cycle indicator

Green Features

- Green Intelligence Technology
- Energy / Cleaning / Drying performance: A+++AA
- Multizone programme

Cleaning Programs

- Sensor power clean plus program 40°C-70°C
- Glass program 40°C
- Express program 45°C
- Eco program 50°C
- 1 hour wash & dry 55°C
- Normal program 60°C
- Intensive 65°C
- Night program 50°C
- Steam 70°C

Specifications

- 13 Place settings Consumption rates
- Water: 7.7L
- Electricity: 0.64kWh

- Minimum water consumption:
 - Sound level: 44dB(A)

- Time: 185 minutes

Bauknecht Dishwashers Range

- Socket / Fuse spur unit: 13A

Appliance Dimensions

- 820H x 597W x 555Dmm

Cut Out Dimensions

- 820-900H x 600W x 580Dmm

Country Of Origin

- Europe





















HK\$ 17,800







G R E E N INTELLIGENCE



HK\$ 20,800 124



Unbeatably efficient washing and drying



THE ENVIRONMENTALLY-CONSCIOUS LAUNDRY EXPERT

The Bauknecht washer has been awarded with the Energy and Water Efficient Grade 1 Class. Compared with Grade 5, Grade 1 is able to save energy and water respectively by up to 40%. This helps you to save money, while protecting the environment.

Its top in the class performance is further reinforced by A class energy efficiency, A class washing performance and A class spinning performance awarded by IEC. Its large capacity also reduces the frequency of washes, which saves energy, water and time.



A FLEXIBLE WASHER DRYER THAT MEETS ALL YOUR NEED

Washing that works around your schedule, not the other way around FlexiTime reduces the duration of the cycle. You can easily select the wash time you desire from the large LED display panel according to your need. Bauknecht has taken a major step towards even greater convenience and flexibility when doing the laundry.





SUFFICIENT CHOICES TO CHOOSE FROM

When it comes to drying, there's also a range of drying programmes for your selection. Select the degree of dryness that you required based on different materials and humidity to achieve the best drying performance. Extra dry for bath towels & bathrobes; cupboard dry for items that will be put away without ironing; and Iron dry that leaves the laundry suitable for ironing. The washer dryer will automatically calculate the time needed for drying according to the load and drying type selected.

Thoughtful programmes for laundry excellence

STAIN WASH



PERFECT CLEANING EVERYTIME

Stain wash is a specialized program for stubborn stains. Thanks to the unique distribution of detergent in a uniform manner and maximized cleaning action, stubborn stains can be eliminated at the same time without sacrificing the length of the program.

INTENSIVE



TOUGH CLEANING WITH A **GENTLE TOUCH**

In the intensive programme, the maximum temperature is changed to 90°C and the washing stage is extended to increase the effectiveness of the enzymes in the detergents. This is ideal for delicate but dirty items.


WOOL SWING



TENDER CARE FOR DELICATE CLOTHING

Wool wash with cradle swinging actions, as well as a delicately selected water temperature, spinning speed and washing time, all provide tender loving care for your delicate wool and silk wear.

≋ RAPID WASH



RAPID CLEANING FOR SMALLER, LIGHTER LOADS

Rapid Wash reduces the duration of the washing cycle. This makes it a suitable feature for small amounts of laundry with only light dirt.

HAND WASH



HAND WASH

Hand Wash is a gentle and specialized programme. This programme allows a complete washing cycle for garments specified as "Hand Wash only" on the fabric care label as it runs under 30°C of temperature and at a slow spin.

EASY IRONING



IRONING, NOW MADE **MUCH EASIER**

Easy iron produces items which are less creased and easier to iron. Selected model features a gentler rinsing action and drying speed. At the end of the washing cycle, cold water will be introduced to lower the temperature, which spares you from difficult ironing.

DRUM CLEANING



TAKES CARE OF ITSELF SO YOU WON'T NEED TO

A self-cleaning programme intelligently cleans the interior of selected machine, which helps to avoid smells and deposits that build up within the machine over time.

BKWD7140

Built-in Washer Dryer









HK\$ 17,800



Bauknecht Washer Dryer Range

Fully-integrated type

Control

- LED display
- Electronic button control
- Start delay (24 hrs)

Caring Features - Door security

- Anti-overflow
- Foam control

Unit:mm

- Electronic spin speed management
- Electronic balance control

Green Features

- HK energy label: Grade 1^
- HK water efficiency: Grade 1

Washing Programmes

- Number of programmes: 15+ > Cotton / Wool
- > Handwash
- > Delicates
- > Stain wash
- > Anti-bacteria > Shirts
- > Eco
- > Iron / Cupboard / Extra dry

Specifications

- Washing capacity: 7kg
- Drying capacity: 5kg
- Consumption (washing only): > Electricity: 1.19kWh

- Spin speed: 1400rpm
- Socket / Fuse spur unit: 13A
- Length of power cord: 1450mm
- Length of inlet pipes: 1430mm - Length of outlet pipes: 1130mm

Appliance Dimensions

- 820H x 596W x 532D*(545#D)mm

Cut Out Dimensions


- 825H x 600W x 545Dmm

Country of Origin

- Italy

* Depth from front panel to hose at the back (exclude door and button)

Depth from front door to hose at the back (including door and button but not cabinet door)
A Based on EMSD code of practice in Year 2010



BKWD6120

Built-in Washer Dryer









Bauknecht Washer Dryer Range

- Fully-integrated type

Control

- Electronic button control
- Start delay (3/6/9 hrs)

Caring Features

- Door security - Anti-overflow
- Foam Control
- Electronic spin speed management
- Electronic balance control
- Electronic drying sensor

Green Features

Unit:mm

- HK energy label: Grade 1^
- HK water efficiency: Grade 1

Washing Programmes

- Number of programmes: 21+
- > Cotton / Wool > Delicates
- > Stain wash
- > Anti-bacteria
- > Handwash > Cotton / Synthetics dry
- > Iron / cupboard dry

Specifications

- Washing capacity: 6kg
- Drying capacity: 4kg
- Consumption (washing only): > Electricity: 1.14kWh
- Spin speed: 1200rpm
- Socket / Fuse spur unit: 13A

- Length of power cord: 1450mm
- Length of inlet pipes: 1430mm

- Length of outlet pipes: 1130mm **Appliance Dimensions**


- 820H x 596W x 532D*(545#D)mm

Cut Out Dimensions - 825H x 600W x 545Dmm

Country of Origin

- * Depth from front panel to hose at the back (exclude door and button)
- # Depth from front door to hose at the back (including door and button but not cabinet door)

 ^ Based on EMSD code of practice in Year 2010



HK\$ 14,800

BKWD1200

Built-in Washer Dryer











Bauknecht Washer Dryer Range

Design

- Fully-integrated type

Control

- LED display
- Electronic control system
- Start time pre-set

Caring Features - Remaining time indication

- Foam control
- Imbalance correction system
- Eco-ball
- Automatic adjustable water level

Green Features

- HK energy label Grade 1*
- Electronic wash optimisation

Washing Programmes - Number of programmes: 15

- > Cotton
- > Easy care / Synthetics
- > Delicates > Wool

Unit:mm

- > Easy iron > Pre-wash > Rinse hold
- > Intensive rinse

Specifications

- Washing capacity: 6kgDrying capacity: 4kgConsumption:


- > Water: 59L
- > Electricity: 1.02kWh
- Average annual energy consumption: 204kWh
- Spin speed: 1200rpm Socket / Fuse spur unit: 13A
- Drain pipe: 1800mm
- Inlet water pipe: 1800mm Length of power cord: 2000mm

Appliance Dimensions

- 818H x 596W x 546Dmm

Country Of Origin - Italy

^{*}Based on EMSD code of practice in Year 2010



HK\$ 12,800 134

Showroom

Bauknecht Place 1919 G/F, Zoroastrian Building 101 Leighton Road, Causeway Bay www.bauknecht.com.hk

Austria • Belgium • Czech Republic • Denmark • Germany • Hong Kong • Hungary • Ireland • Netherlands • Russia • Slovakia • Switzerland • United Kingdom

BK 0415 (CB08) Bauknecht is a registered trandemark. All rights reserved.



Scan the above QR code to download our full catalogue.